

Installation Notes

Taliaferro

Product: **Optical Cable Connector (Onstar Delete)**

Part Number: **I279I237**

Date: **10.15.2025**

Tools you will need:

Small Flat-Blade Screwdriver

Step 1: Locate and disconnect the onstar box in the trunk



Step 2: Fold down rear seats and remove the push pins for the rear shelf liner to expose the wiring



Taliaferro Imports, Inc.
525 N Prince Lane
Springfield, MO 65802 USA
417.831.7222 M-F 8-5 CST
Catalog@**GenuineSaab.com**

No Reproduction Permitted
Know the Dangers, Don't Learn by Accident!
If in doubt, consult a professional.

Page 1 of 3

Installation Notes

Taliaferro

Step 3: Use a small flat-blade screwdriver to carefully unclip the optical plug from the main harness



Step 4: Carefully unclip one of the optical cables from the original optical plug



Step 5: Plug the original optical plug into the new optical connector.



Installation Notes

Taliaferro

**Step 6: Plug the other end of the cable into the opposite side of the new connector.
Make sure it is in line with the other cable**



Final Notes:

- **Make sure all connections are secure and properly aligned.**
- **Reattach the push pins for the rear shelf liner.**
- **Return the rear seats to their upright position.**